Shaukat Khanum Memorial Cancer Hospital and Research Centre



Coronavirus Disease (COVID-19)

Instructions for patients who have been tested Positive for Covid-19 Test (PCR):

Isolation Precautions:

- 1. Stay in a separate room and use a separate bathroom if available.
- 2. Wear a face mask if you must be around other people, making sure that shared spaces are well ventilated. Avoid sharing space with elderly family members, pregnant women or those with other health issues, such as lung and heart diseases, diabetes, chronic infections like HIV or TB and cancer patients.
- 3. Observe cough etiquette if unable to wear a mask.
- 4. Wash your hands frequently, particularly when visibly soiled, with soap and water, for at least 20 seconds or use a hand sanitizer containing at least 60% alcohol base, covering all surfaces of your hands and rub together until dry.
- 5. Cover your mouth and nose when you cough or sneeze, using the crook of your elbow or tissue paper. Discard the tissue paper after use and wash your hands with soap and water for 20 seconds or use an alcohol-based hand sanitizer (containing at least 60% alcohol base).
- 6. Monitor your symptoms (notably temperature, cough, shortness of breath). Contact emergency services if you notice any worsening (for example breathing difficulty/shortness of breath, drowsiness, bluish discolouration of the lips/face).
- 7. Avoid sharing utensils and other items of personal use.
- 8. Avoid contact with pet animals.
- 9. No visitors should be allowed in the home.

Cleaning/Disinfection Instructions for Patient and Household Members:

- 1. Household contacts should wash hands frequently with soap and water for 20 seconds, particularly after contact with the patient, avoid touching the face (eyes/nose/mouth) with unwashed hands.
- 2. Caregivers should use a medical mask.
- 3. A dedicated **bedroom/bathroom** should be used and cleaned as needed to avoid unnecessary contact with the patient.
- 4. If a separate bathroom is not available, the bathroom should be cleaned as well as disinfected with 70% alcohol solution or diluted household bleach after each use by the patient.
- 5. The patient can clean the bathroom themselves, or the caregiver should wait as long as is possible after use by the patient before cleaning and disinfecting the toilet, after wearing disposable gloves. Discard the gloves after use and then wash hands with soap and water.
- 6. **Frequently touched surfaces** (for example toilets/taps/sinks/door knobs/light switches/table/counter-tops/keys/keyboards/tablets/phone/remote controls) should be

Shaukat Khanum Memorial Cancer Hospital and Research Centre



Coronavirus Disease (COVID-19)

disinfected daily as the virus remains viable on surfaces for hours to days. To disinfect, use alcohol solution (70% alcohol) or diluted household bleach (prepared by mixing 5 tablespoons of bleach per gallon of water), following the instructions on the label. Clean dirty surfaces with detergent/soap before disinfection.

- 7. **Laundry:** Wear disposable gloves when handling dirty laundry from the patient, wash with warm water and regular detergent, do not shake dirty laundry to minimize risk of dispersing the virus. If using reusable gloves, keep them dedicated for the patient. After doing laundry and especially if no gloves are available, wash hands with soap and water for 20 seconds.
- 8. **Utensils:** should be handled with gloves (dedicated) and washed with hot water.

Shaukat Khanum Memorial Cancer Hospital and Research Centre



Coronavirus Disease (COVID-19)

گھر میں حفاظتی جہائی (Isolation) اختیار کرنے کی احتیاطی تداہیر: (کرونا دائرس کے تقدیق شدہ مریفوں کے لیے)

حفائلتی تنباقی: بیار فردگوا**س وقت تک صحت مند افراد ب دور رکھاجائے جب تک دائرس کے ختم ہونے کالیتین نہ ہوجائے مثلاً علامات کے شروع ہونے کے 7 دن بعد تک اورعلامات کھ لختم ہونے کے** تين دن بعد تك۔ حفائلتي تنبائي كي تدابيرا وراشط مات: مريضوں کے ليے انظامات: 1- سی الگ کمر بیٹ رہیں اورا گرمکن ہوتو الگ داش روم استعال کریں۔ 2-اگرآب گھر کے دوسر سے فرا دکے ساتھ ہوں تو فیس ماسک کا ستعال کریں اوراس بات کوتیٹنی بنائیس کہ مشتر کہ استعال کے مقامات کھلےاور ہوا دارہوں۔ گھر کے بوڑ ھے افرادہ حاملہ نوانتین، دل اور سانس کی بیاریوں میں بیتلاا فرادے دورر میں 3-اگر ماسک نہیں پہن کیتے تو کھا نسخ کے آداب کا خیال رکھیں ۔ 4- زما دہ بے زما دہ اپنے ہاتھوں کو پانی اور دیا بن سے کم از کم 20 سکینڈ تک دہوئیں سائچر کم از کم 60 فیصد الکوحل والا جرافتیم کش محلول (پہنڈ سنینا مزر) ماتھوں پراچھی طرح تاکا کرملیں ۔ 5- این چینک یا کھانی کوئینی کوئم کرتے ہوئیا شتو پیرے ڈھانی لیں یہ شتو پیر کوکوڑا دان میں ڈالیں اورابے ہاتھوں کو یانی اور صابن سے کم از کم 20 سکینڈ تک دسوئیں ۔ یا پھر کم از کم 60 فیصد الکومل والا جراثيم مش محلول (بېند سنچائز ر) ماتھوں پر اچھی طرح لگا کرملیں ۔ 6- بني علامات كونوث كرتے رہيں خاص طور پر بنار، کھانتى پا سانس لينے ميں دشوار كي كو ساگر علامات ميں شدت يعنى سانس تجلينا پا سانس لينے ميں دفت محسوس كرما، عنود گى ہوما انتظمون با چر ےكا نيلا پڑ جاما جیسی کیفیت محسوق ہوتو فور کی طور پر ایمرجنسی نمبر زیر را بط کریں۔ 7 – اینے برتنوں اوردیگر ذاتی استعال کی اشیا کوالگ رکھیں ۔ 8- پالتو جانورد ں کفٹریب جانے سے اجتناب کریں۔ 9-مہمانوں سے ملنے جلنے سے پر ہیز کریں۔